

Ventilation Fans

Cross Reference Guide



WhisperGreen w/Built-In Controls Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM		Noise (Sones)		Watt	Warranty (Years)	ENERGY STAR	Housing Depth
				0.1" w.g.	0.25" w.g.	0.1" w.g.	0.25" w.g.				
Panasonic	FV-08VKS3	Fan	4" or 6"	80	79	<0.3	0.4	7.0	6	Y	7-2/5"
Panasonic	FV-08VKM3	Fan	4" or 6"	80	79	<0.3	0.4	7.0	6	Y	7-2/5"
Panasonic	FV-13VKS3	Fan	6"	130	135	<0.3	0.7	11.9	6	Y	7-2/5"
Panasonic	FV-13VKM3	Fan	6"	130	135	<0.3	0.7	11.9	6	Y	7-2/5"

No cross for Panasonic DC motor models with built-in variable speed and timer controls.



WhisperGreen-Lite w/Built-In Controls Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM		Noise (Sones)		Watt	Warranty (Years)	ENERGY STAR	Housing Depth
				0.1" w.g.	0.25" w.g.	0.1" w.g.	0.25" w.g.	0.1" w.g.			
Panasonic	FV-08VKSL3	Fan-Fluorescent Light	4" or 6"	80	79	<0.3	0.6	7.4	6	Y	7-2/5"
Panasonic	FV-08VKML3	Fan-Fluorescent Light	4" or 6"	80	79	<0.3	0.6	7.4	6	Y	7-2/5"
Panasonic	FV-13VKSL3	Fan-Fluorescent Light	6"	130	136	0.8	1.3	14.4	6	Y	7-2/5"
Panasonic	FV-13VKML3	Fan-Fluorescent Light	6"	130	136	0.8	1.3	14.4	6	Y	7-2/5"

No cross for Panasonic DC motor models with built-in variable speed and timer controls.



WhisperGreen Single Speed Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM 0.1" w.g. 0.25" w.g.		Noise (Sones) 0.1" w.g. 0.25" w.g.		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
Panasonic	FV-05VK3	Fan	4" or 6"	50	54	<0.3	0.3	4.3	6	Y	7-2/5"
Panasonic	FV-08VK3	Fan	4" or 6"	80	79	<0.3	0.4	7.0	6	Y	7-2/5"
Panasonic	FV-13VK3	Fan	6"	130	135	<0.3	0.7	11.9	6	Y	7-2/5"

No cross for Panasonic DC motor models.



WhisperGreen-Lite Single Speed Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM		Noise (Sones)		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
				0.1" w.g.	0.25" w.g.	0.1" w.g.	0.25" w.g.				
Panasonic	FV-08VKL3	Fan-Fluorescent Light	4" or 6"	80	79	<0.3	0.6	7.4	6	Y	7-2/5"
Panasonic	FV-13VKL3	Fan-Fluorescent Light	6"	130	136	0.8	1.3	14.4	6	Y	7-2/5"

No cross for Panasonic DC motor models.



Panasonic ideas for life



WhisperCeiling Competitive Cross Reference

Brand	Model Number	Description	Duct Size	CFM		Noise (Sones)		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
				0.1" w.g.	0.25" w.g.	0.1" w.g.	0.25" w.g.				
Panasonic	FV-05VQ5	Fan	4" or 6"	50	36	<0.3	0.5	11.0	3	Y	7-2/5"
Broan	QTXE050	Fan	6"	50	39	<0.3	N/A	19.7	3	Y	7-5/8"
Nutone	QTXEN050	Fan	6"	50	39	<0.3	N/A	19.7	3	Y	7-5/8"
Renewaire	V50	Fan	4"	50	31	<0.3	N/A	12.9	5	Y	8-1/16"
Panasonic	FV-08VQ5	Fan	4" or 6"	80	62	<0.3	0.4	14.7	3	Y	7-2/5"
Air King	ES80S	Fan	6"	80	48	<0.3	N/A	29.4	1	Y	9-7/8"
Broan	QTXE080	Fan	6"	80	55	0.3	N/A	23.3	3	Y	7-5/8"
Delta Breez	VFB25AC	Fan	4"	80	52	<0.3	N/A	7.1	3	Y	7-63/64"
Nutone	QTXEN080	Fan	6"	80	55	0.3	N/A	23.3	3	Y	7-5/8"
Renewaire	V80	Fan	4"	80	60	<0.3	N/A	16.1	5	Y	8-1/16"
Panasonic	FV-11VQ5	Fan	4" or 6"	110	91	<0.3	0.5	21.1	3	Y	7-2/5"
Air King	ES130S	Fan	6"	130	93	<0.3	N/A	32.5	1	Y	9-7/8"
Broan	QTXE110	Fan	6"	110	90	0.7	N/A	33.5	3	Y	7-5/8"
Delta Breez	VFB25AD	Fan	4"	110	79	1.1	2.0	15.3	3	Y	7-63/64"
Nutone	QTXEN110	Fan	6"	110	90	0.7	N/A	33.5	3	Y	7-5/8"
Renewaire	V110	Fan	4"	110	93	0.8	N/A	24.2	5	Y	8-1/16"
Panasonic	FV-15VQ5	Fan	6"	150	127	<0.3	0.5	28.4	3	Y	7-2/5"
Air King	AK150LS	Fan	6"	150	116	0.8	N/A	34.8	1	Y	7-7/8"
Broan	QTXE150	Fan	6"	150	118	1.4	N/A	51.3	3	Y	7-5/8"
Marley	8140ES	Fan	4"	140	107	2.5	N/A	48.6	6	Y	7-5/8"
Nutone	QTXEN150	Fan	6"	150	118	1.4	N/A	51.3	3	Y	7-5/8"
Renewaire	V1150	Fan	6"	150	110	<0.3	N/A	32.7	5	Y	9-9/16"
Panasonic	FV-20VQ3	Fan	6"	190	144	0.8	1.4	42.0	3	Y	9-9/32"
Air King	AK200LS	Fan	6"	200	185	1.4	N/A	62.0	1	Y	9-7/8"
Broan	L200	Fan	8"	214	196	1.8	2.3	127.0	1	N	11-3/4"
Panasonic	FV-30VQ3	Fan	6"	290	257	2.0	N/A	64.0	3	Y	9-9/32"
Air King	AK300LS	Fan	6"	290	271	3.0	N/A	81.3	1	Y	9-7/8"
Broan	L300	Fan	8"	309	303	2.9	3.3	212	1	N	1-3/4"
Panasonic	FV-40VQ3	Fan	6"	380	348	3.0	N/A	112	3	Y	9-9/32"
Broan	L400	Fan	4-1/2" x 18"	442	388	2.4	2.8	146	1	N	11-3/4"

WhisperLite Competitive Cross Reference

Brand	Model Number	Description	Duct Size	CFM		Noise (Sones)		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
				0.1" w.g.	0.25" w.g.	0.1" w.g.	0.25" w.g.				
Panasonic	FV-08VQL5	Fan-Fluorescent Light	4" or 6"	80	62	<0.3	0.4	14.9	3	Y	7-2/5"
Broan	QTXE080FLT	Fan-Fluorescent Light	6"	80	55	0.3	N/A	23.3	3	Y	7-5/8"
Nutone	QTXEN080FLT	Fan-Fluorescent Light	6"	80	55	0.3	N/A	23.3	3	Y	7-5/8"
Panasonic	FV-11VQL5	Fan-Fluorescent Light	4" or 6"	110	90	0.5	0.6	23.4	3	Y	7-2/5"
Broan	QTXE110FLT	Fan-Fluorescent Light	6"	110	90	0.7	N/A	33.5	3	Y	7-5/8"
Nutone	QTXEN110FLT	Fan-Fluorescent Light	6"	110	90	0.7	N/A	33.5	3	Y	7-5/8"
Panasonic	FV-15VQL5	Fan-Fluorescent Light	6"	150	128	0.9	1.0	31.8	3	Y	7-2/5"
Broan	QTXE150FLT	Fan-Fluorescent Light	6"	150	118	1.4	N/A	51.3	3	Y	7-5/8"
Marley	8140FL	Fan-Fluorescent Light	4"	140	107	2.5	N/A	48.6	5	Y	7-5/8"
Nutone	QTXEN150FLT	Fan-Fluorescent Light	6"	150	118	1.4	N/A	51.3	3	Y	7-5/8"

WhisperSense Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM		Noise (Sones)		Watt	Warranty (Years)	ENERGY STAR	Housing Depth
				0.1" w.g.	0.25" w.g.	0.1" w.g.	0.25" w.g.	0.1" w.g.			
Panasonic	FV-08VQC5	Fan with built in Motion & Humidity Sensors	4" or 6"	80	69	<0.3	0.4	15.5	3	Y	7-2/5"
Delta Breez	VFB25ACH	Fan with built in Humidity Sensor	4"	80	52	<0.3	N/A	7.1	3	Y	7-63/64"
Panasonic	FV-11VQC5	Fan with built in Motion & Humidity Sensors	4" or 6"	110	90	0.3	0.5	23.0	3	Y	7-2/5"
Broan	QTXE110S	Fan with built in Humidity Sensor	6"	110	90	0.7	N/A	33.5	3	Y	7-5/8"
Delta Breez	VFB25ADH	Fan with built in Humidity Sensor	4"	110	79	1.1	2	15.3	3	Y	7-63/64"
Nutone	QTXEN110S	Fan with built in Humidity Sensor	6"	110	90	0.7	N/A	33.5	3	Y	7-5/8"

Note: Only Panasonic WhisperSense fans include dual motion/humidity sensor technology

WhisperSense-Lite Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM		Noise (Sones)		Watt	Warranty (Years)	ENERGY STAR	Housing Depth
				0.1" w.g.	0.25" w.g.	0.1" w.g.	0.25" w.g.	0.1" w.g.			
Panasonic	FV-08VQCL5	Fan-Fluorescent Light with built in Motion & Humidity Sensors	4" or 6"	80	60	<0.3	0.4	16.4	3	Y	7-2/5"
No cross reference for Panasonic 80 CFM fan/light with built-in motion/humidity sensor											
Panasonic	FV-11VQCL5	Fan-Fluorescent Light with built in Motion & Humidity Sensors	4" or 6"	110	90	0.6	0.7	24.5	3	Y	7-2/5"
Broan	QTXE110SFLT	Fan-Fluorescent Light with built in Motion & Humidity Sensors	6"	110	90	0.7	N/A	33.5	3	Y	7-5/8"
Nutone	QTXEN110S-FLT	Fan-Fluorescent Light with built in Motion & Humidity Sensors	6"	110	90	0.7	N/A	33.5	3	Y	7-5/8"

Note: Only Panasonic WhisperSense fans include dual motion/humidity sensor technology

WhisperWarm Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM		Noise (Sones)		Watt	Warranty (Years)	ENERGY STAR	Housing Depth
				0.1" w.g.	0.25" w.g.	0.1" w.g.	0.25" w.g.	0.1" w.g.			
Panasonic	FV-11VH2	Heater-Fan	4"	110	89	0.6	1.1	30.7	3	N	7-3/4"
No cross reference for Panasonic 110 CFM fan/heater											
Panasonic	FV-11VHL2	Heater-Fan-Light	4"	110	89	0.7	1.0	30.6	3	N	7-3/4"
Broan	QTX110HFLT	Heater-Fan-Light	6"	110	82	0.9	N/A	42.8	3	N	7-5/8"
Nutone	QTXN110HFLT	Heater-Fan-Light	6"	110	82	0.9	N/A	42.8	3	N	7-5/8"

WhisperFit Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM		Noise (Sones)		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
				0.1" w.g.	0.25" w.g.	0.1" w.g.	0.25" w.g.				
Panasonic	FV-05VF2	Fan	4" or 3"	50	30	0.4	0.9	15	3	Y	5-5/8"
Greenheck**	SP-A50	Fan	6" Square	51	31	0.7	1.3	18.3	3	Y	11-5/8"
Panasonic	FV-08VF2	Fan	4" or 3"	80	60	0.8	1.0	23.9	3	Y	5-5/8"
Broan	QTRE080	Fan	4"	80	55	0.8	1.0	28.4	3	Y	7-5/8"
Greenheck**	SP-A70	Fan	6" Square	70	42	0.8	1.6	20.2	3	Y	11-5/8"
	SP-A90	Fan	6" Square	88	61	1.0	1.2	29.4	3	Y	11-5/8"
Marley	8080ES	Fan	4"	80	73	1.0	N/A	31.6	5	Y	7-5/8"
Nutone	QTREN080	Fan	4"	80	55	0.8	1.0	28.4	3	Y	7-5/8"
Panasonic	FV-11VF2	Fan	4" or 3"	110	94	1.5	1.5	33.5	3	Y	5-5/8"
Broan	QTRE110	Fan	4"	110	90	1.3	N/A	36.3	3	Y	7-5/8"
Nutone	QTREN110	Fan	4"	110	90	1.3	N/A	36.3	3	Y	7-5/8"

*Performance with 4" duct, **AMCA certification

WhisperFit-Lite Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM		Noise (Sones)		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
				0.1" w.g.	0.25" w.g.	0.1" w.g.	0.25" w.g.				
Panasonic	FV-05VFL2	Fan-Fluorescent Light	4" or 3"	50	30	<0.3	0.4	16.6	3	Y	5-5/8"
Air King	AKF50LS	Fan-Fluorescent Light	4"	50	33	0.3	N/A	26.6	1	Y	7-7/8"
Greenheck**	SP-A50L	Fan-Fluorescent Light	6" Square	51	31	0.7	1.3	18.3	3	Y	11-5/8"
Panasonic	FV-08VFL2	Fan-Fluorescent Light	4" or 3"	80	63	0.5	0.8	29.7	3	Y	5-5/8"
Broan	QTRE080FLT	Fan-Fluorescent Light	4"	80	55	0.8	1.0	28.4	3	Y	7-5/8"
Delta Breez	VFB25ACL	Fan-Fluorescent Light	4"	80	49	0.6	1.0	9.6	3	Y	7-63/64"
Greenheck**	SP-A70FL	Fan-Fluorescent Light	6" Square	70	42	0.8	1.6	20.2	3	Y	11-5/8"
	SP-A90FL	Fan-Fluorescent Light	6" Square	88	61	1.0	1.2	29.4	3	Y	11-5/8"
Nutone	QTREN080FLT	Fan-Fluorescent Light	4"	80	55	0.8	1.0	28.4	3	Y	7-5/8"
Panasonic	FV-11VFL2	Fan-Fluorescent Light	4" or 3"	110	96	1.3	1.5	33.6	3	Y	5-5/8"
Broan	QTRE110FLT	Fan-Fluorescent Light	4"	110	90	1.3	N/A	36.3	3	Y	7-5/8"
Delta Breez	VFB25ADL	Fan-Fluorescent Light	4"	110	89	1.1	2.0	15.3	3	Y	7-63/64"
Nutone	QTREN110FLT	Fan-Fluorescent Light	4"	110	90	1.3	N/A	36.3	3	Y	7-5/8"

*Performance with 4" duct, **AMCA certification

WhisperWelcome Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM		Noise (Sones)		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
				0.1" w.g.	0.25" w.g.	0.1" w.g.	0.25" w.g.				
Panasonic	FV-05VFM2	Fan with Motion Sensor	4" or 3"	50	33	<0.3	0.7	16.3	3	Y	5-5/8"
No cross reference for Panasonic 50 CFM Welcome fan											
Panasonic	FV-08VFM2	Fan with Motion Sensor	4" or 3"	80	62	0.9	1.0	24.2	3	Y	5-5/8"
Broan	MS90	Fan with Motion Sensor	4"	90	84	2.5	N/A	84.0	1	N	7-5/8"

*Performance with 4" duct

WhisperValue Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM		Noise (Sones)		Watt	Warranty (Years)	ENERGY STAR	Housing Depth
				0.1" w.g.	0.25" w.g.	0.1" w.g.	0.25" w.g.	0.1" w.g.			
Panasonic	FV-05VS1	Fan	4"	50	37	0.4	1.0	18.1	3	Y	3-3/4"
Air King	AK50LS	Fan	4"	50	30	0.5	N/A	27.9	1	Y	7-7/8"
	BFQ50	Fan	4"	50	38	0.5	N/A	28.1	1	Y	4-3/4"
Broan	HD50	Fan	4"	50	38	1.5	N/A	27.1	1	Y	5-3/4"
	QTXR000HF/ QTR050F	Fan-Builder Pack	4"	50	28	0.4	N/A	26.8	3	N	7-5/8"
Delta Breez	VFB050B3A1	Fan	3"	50	36	1.0	1.2	6.4	3	Y	3-15/16"
Greenheck**	SP-B50	Fan	4"	54	40	1.4	2	37.8	3	Y	6-15/16"
Nutone	HD50NT	Fan	4"	50	38	1.5	N/A	27.0	1	Y	5-3/4"
	QTXRN000HF/ QTRN050F	Fan-Builder Pack	4"	50	28	0.4	N/A	26.8	3	N	7-5/8"
Panasonic	FV-08VS1	Fan	4"	80	71	1.3	1.5	27.4	3	Y	3-3/4"
Air King	AK80LS-1	Fan	4"	80	64	1.0	N/A	28.3	1	Y	7-7/8"
	AK80	Fan	4"	80	70	1.5	1.5	27.5	1	Y	7-7/8"
	BFQ75	Fan	4"	70	57	1.5	N/A	32.2	1	Y	4-3/4"
Broan	QTR080	Fan	4"	80	66	1.0	N/A	56.6	3	N	7-5/8"
	784	Fan	4"	80	65	2.0	N/A	26.1	1	Y	5-3/4"
Delta Breez	VFB070B3A1	Fan	3"	70	54	2.0	1.5	13.1	3	Y	3-15/16"
Greenheck**	SP-B70	Fan	4"	71	57	1.4	2.0	45.1	3	Y	6-15/16"
	SP-B80	Fan	4"	80	68	2.0	2.5	54.3	3	Y	6-15/16"
Marley	8080ES	Fan	4"	80	73	1.0	N/A	31.6	5	Y	7-5/8"
Nutone	QTRN080	Fan	4"	80	66	1.0	N/A	56.6	3	N	7-5/8"
Panasonic	FV-10VS1	Fan	4"	100	90	1.5	1.5	36.4	3	Y	3-3/4"
Air King	AK90	Fan	4"	90	80	1.5	N/A	34.0	1	Y	7-7/8"
	AK110PN	Fan	4"	100	87	1.5	N/A	30.5	1	Y	7-7/8"
	AK110	Fan	4"	110	94	2.0	N/A	34.0	1	Y	7-7/8"
Broan	QTR110	Fan	4"	110	98	1.5	N/A	70.5	3	N	7-5/8"
Greenheck**	SP-B90	Fan	4"	89	68	2.0	2.5	49.7	3	Y	6-15/16"
Nutone	QTRN110	Fan	4"	110	98	1.5	N/A	70.5	3	N	7-5/8"

**AMCA certification

WhisperValue-Lite Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM		Noise (Sones)		Watt	Warranty (Years)	ENERGY STAR	Housing Depth
				0.1" w.g.	0.25" w.g.	0.1" w.g.	0.25" w.g.	0.1" w.g.			
Panasonic	FV-08VSL1	Fan-Fluorescent Light	4"	80	67	1.3	1.5	24.4	3	Y	3-3/4"
Air King	AKF80LS	Fan-Fluorescent Light	4"	80	70	1	N/A	27.8	1	Y	7-7/8"
	BFQF70	Fan-Fluorescent Light	4"	70	57	1.5	N/A	32.2	1	Y	5-11/16"
Broan	QTR080L	Fan-Incandescent Light	4"	80	66	1	N/A	56.6	3	N	7-5/8"
Greenheck**	SP-B70FL	Fan-Fluorescent Light	4"	71	57	1.4	2	45.1	3	Y	6-15/16"
	SP-B80FL	Fan-Fluorescent Light	4"	80	68	2	2.5	54.3	3	Y	6-15/16"
Marley	8080FL	Fan-Fluorescent Light	4"	80	73	1	N/A	31.6	5	Y	7-5/8"
Nutone	QTRN080L	Fan-Incandescent Light	4"	80	66	1	N/A	56.6	3	N	7-5/8"
Panasonic	FV-10VSL1	Fan-Fluorescent Light	4"	100	90	1.5	2.5	36.6	3	Y	3-3/4"
Air King	AFK100LS	Fan-Fluorescent Light	4"	100	90	1.5	N/A	27.8	1	Y	7-7/8"
Broan	QTR110L	Fan-Incandescent Light	4"	110	98	1.5	N/A	70.5	3	N	7-5/8"
Greenheck**	SP-B90FL	Fan-Fluorescent Light	4"	89	68	2	2.5	49.7	3	Y	6-15/16"
Nutone	QTRN110L	Fan-Incandescent Light	4"	110	98	1.5	N/A	70.5	3	N	7-5/8"

**AMCA certification

WhisperLine Competitive Cross Reference

Brand	Model Number	Description	Duct Size	CFM @ 0.2" w.g.	Noise (Sones) @ 0.2" w.g.	Watt 0.2" w.g.	Warranty (Years)	ENERGY STAR
Panasonic	FV-10NLF1	In-Line Fan	4"	120	1	36.2	3	Y
Air King	AIF4X	In-Line Fan	4"	100	N/A	21.1	1	Y
Broan	SP100	In-Line Fan	6"	110	N/A	60.0	1	N
	SP140	In-Line Fan	6"	150	N/A	96.0	1	N
Fantech	FR100	In-Line Fan	4"	100	N/A	21.2	5	Y
	FG4	In-Line Fan	4"	110	N/A	20.0	5	Y
	FR125	In-Line Fan	5"	120	N/A	18.0	5	Y
	FG5	In-Line Fan	5"	130	N/A	20.0	5	Y
	FR110	In-Line Fan	4"	150	N/A	80.0	5	N
	FG4XL	In-Line Fan	4"	150	N/A	71.0	5	N
Nutone	ILF120	In-Line Fan	4"	110	N/A	42.6	1	N
	ILF130	In-Line Fan	5"	130	N/A	42.6	1	N
Soler & Palau	PV-100	In-Line Fan	4"	100	N/A	57.0	5	N
	PV-100X	In-Line Fan	4"	130	N/A	84.0	5	N
	PV-125	In-Line Fan	5"	110	N/A	58.0	5	N
Panasonic	FV-20NLF1	In-Line Fan	6"	240	1.4	57.0	3	Y
Air King	AIF6Y	In-Line Fan	6"	230	N/A	71.0	1	Y
Broan	SP200	In-Line Fan	6"	210	N/A	156.0	1	N
Fantech	FG5XL	In-Line Fan	5"	190	N/A	73.0	5	Y
	FR140	In-Line Fan	6"	190	N/A	61.0	5	Y
	FR150	In-Line Fan	6"	230	N/A	71.0	5	Y
	FG6	In-Line Fan	6"	270	N/A	72.0	5	Y
Nutone	ILF250	In-Line Fan	6"	250	N/A	92.0	1	N
Soler & Palau	PV-150	In-Line Fan	6"	230	N/A	78.0	5	N
Panasonic	FV-30NLF1	In-Line Fan	6"	340	1.7	98.0	3	Y
Air King	AIF8X	In-Line Fan	8"	360	N/A	122.0	1	Y
Fantech	FR200	In-Line Fan	8"	360	N/A	122.0	5	Y
	FG6M	In-Line Fan	6"	370	N/A	120.0	5	Y
Nutone	ILF360	In-Line Fan	8"	360	N/A	100.0	1	N
Soler & Palau	PV-150X	In-Line Fan	6"	350	N/A	125.0	5	Y
Panasonic	FV-40NLF1	In-Line Fan	8"	440	2.1	132.0	3	Y
Fantech	FG6XL	In-Line Fan	6"	450	N/A	153.0	5	Y
	FG8	In-Line Fan	8"	410	N/A	119.0	5	Y
	FG8XL	In-Line Fan	8"	470	N/A	142.0	5	Y
	FG10	In-Line Fan	10"	480	N/A	138.0	5	Y
	FR225	In-Line Fan	8"	400	N/A	137.0	5	Y
Soler & Palau	PV-200X	In-Line Fan	8"	490	N/A	175.0	5	Y



Printed with soy ink on
10% post-consumer
recycled paper.

Panasonic Home & Environment Company Unit of Panasonic Corporation of North America

Headquarters

Panasonic Home & Environment Company
One Panasonic Way 1H-3
Secaucus, NJ 07094

For Order Information:

PHONE: 866-292-7299;
FAX: 888-553-0723
www.panasonic.com/building

ideas for life